DH-3(15) DH/DE D12-103

REC'D NOV. 30, 68

aloha BRINGS OUTTHE REAL YOU!


















model 1500



The 1969 Aloha Model 1500 is an exceptionally well engineered compact travel trailer for the economy-conscious family. The Model 1500 sleeps up to seven persons with the optional front canvas bunk; has a complete galley including ice chest (standard) or gas-electric refrigerator (optional), 3-burner gas range, sink and storage cabinets and drawers; plus an outstanding amount of wardrobe and drawer storage space for a trailer of this length. And don't let the Model 1500's low price and handsome interior fool you! The Aloha 1500 has quality all the way through! It is built to take mile after mile of high-speed turnpike travel as well as those trips over rocky, rutted Forest Service roads. Once you see the 1969 Model 1500 you will recognize that its comfortable sleeping accommodations, ample storage, convenient galley, and interior comfort and spaciousness make it an excellent all-'round trailer for large or small families.

ICE BOX: 100-pound capacity. REFRIGERATOR: (Optional) Combinagas-electric refrigerator with freezer compartment. WATER STORAGE: 22-gallon fresh water storage tank with double action hand pump and outside filler spout. CABINETS: Eye level cabinets are tophinged. Magnetic ceiling catches hold doors open. GALLEY WORK AREA: Ample work counters and drawer storage; stainless steel sink with cold water tap; Formica counter; chrome edge; wrap-around tile board back-splash; cutting board. BUILT-IN APPLIANCES: 3-burner gas range with thermostatically controlled automatic oven and broiler. Vented range canopy. HIDE-A-STEP: Swings out for easy entering. Folds under trailer for traveling. INSULATED EXTERIOR DOOR: Large ventilating window, with screen, and weatherstripping. SPACIOUS WINDOWS: Ventilating windows with screens. No cracks or openings for flies or bugs to enter. LIGHTING SYSTEM: 12-volt, 110-volt and gas lighting system. Ample convenience outlets. BEDS: Three double 78" beds with Poly foam mattresses and one optional canvas bunk. ELECTRIC OR HYDRAULIC BRAKES: (Optional) Electric brakes with controller to synchronize trailer braking with car brakes. Trailer brakes operate independently. TIRES: 775x15 4-ply Nylon tubeless tires. HITCH: Hadco double-strength hitch with 2-inch ball. Crank-type jack, large caster, for faster car hookup. EXTERIOR AND UNDERBODY: Rigid all-metal rustproof colortone siding. All underbody surfaces specially treated or undercoated. All body joints caulked, sealed and flashed for maximum weather and dust proofing. PLUMBING: Conveniently located single water intake and drain system. All fixtures trapped and vented in compliance with plumbing codes. ROCK SHIELD: Fiberglass protective lower front panel. ROCK GUARD: Window awning rock guard protects window from flying rocks. ASSIST BAR: Sturdy chrome handle assists while entering. NO-DRAFT ROOF VENTILATOR: Assures ample fresh air and ventilation, yet prevents rain, dust and drafts from entering. WALL HEATER: (Optional) Built-in thermostatically-controlled 9,000 BTU capacity wall-heater. 100% Safety Pilot shuts off all gas if pilot goes out. DIMENSION: Overall length 15'-10". Width 7'. Height inside 73". WEIGHT: Trailer, 1995 lbs. Tow bar weight, 250 lbs. OPTIONS: Built-in combination gas-electric refrigerator. Automatic electric or Surg hydraulic brakes. Twin LP gas tanks. Automatic LP gas, exterior vented wall heater. Front canvas bunk. Leveling jacks. 12-volt strip lighting. COLOR: Exterior-Metallic gold and white. Interior-Avocado appliances and trim.

MODEL 1650



Here is everything you could possibly hope for in a compact travel trailer! The all-new Aloha Model 1650 features an optional fully self-contained Monomatic airline-type toilet, sleeping accommodations for a family of six, complete galley with ice chest or optional gas-electric refrigerator, plus a full eight foot width for that extra interior spaciousness. The convenient rear side dinette provides pleasant dining with a view through the wide side windows, and plenty of ventilation on even the warmest days. All two-tone cushions are color keyed with the handsome drapes and complement the modern pecan-finish paneling. And, the compact length and excellent balance of the Aloha Model 1650 make it tow like a dream on any highway and lets you manuever with ease through even the heaviest city traffic.


ICE BOX: 100-pound capacity. REFRIGERATOR: (Optional) Combination gas-electric refrigerator with freezer compartment. WATER STOR-AGE: 22 gallon fresh water storage tank with double action hand pump and outside filler spout. CABINETS: Eye-level cabinets are top-hinged for opening ease. Magnetic ceiling catches hold doors open. GALLEY WORK AREA: Ample work counters and drawer storage; stainless steel sink with cold water tap; Formica counter; chrome edge; wrap-around (tile board) backsplash; cutting board. BUILT-IN APPLIANCES: 3-burner gas range with thermostatically controlled automatic oven and broiler. Vented range canopy. INSULATED EXTERIOR DOOR: Large ventilating window with screen and rubber weatherstripping. SPACIOUS WIN-DOWS: Ventilating windows with screens. No cracks or openings for flies or bugs to enter. TRIPLE LIGHTING SYSTEM: 110-volt, 12-volt and gas lighting system. Ample convenience outlets. BEDS: Three double beds with poly foam mattresses. ELECTRIC OR HYDRAULIC BRAKES: Electric (standard) with controller to synchronize trailer braking with car brakes. Trailer brakes operate independently. TIRES: 775x15 4-ply Nylon tubeless tires. HITCH: Hadco double strength hitch with 2inch ball. Crank type jack, large caster, for fast car hookup. Two exterior leveling jacks are standard equipment. **EXTERIOR AND UNDERBODY:** Rigid all metal rustproof colortone siding. All underbody surfaces specially treated or undercoated. All body joints caulked, sealed and flashed for maximum weather and dustproofing. ROCK-SHIELD: Fiberglass lower front protective panel. ROCK GUARD: Window awning rock guard protects against flying rocks. ASSIST BAR: Sturdy chrome handle assists while entering. PLUMBING: Conveniently located single water intake and drain system. All fixtures trapped and vented in compliance with plumbing codes. WALL HEAT-ER: (Optional) Built-in thermostatically-controlled 9,000 BTU capacity wall heater. 100% Safety Pilot shuts off all gas when pilot light goes out. **DIMENSIONS:** Overall length, 16'-8". Width, 8'. Inside height, 73". **WEIGHT:** Trailer, 2350 lbs. Tow bar weight, 275 lbs. **OPTIONS:** 1. Built-in combination gas-electric refrigerator. 2. Automatic LP gas, exterior vented wall heater. 3. Twin 5 or 7½ gal. LP tanks. 4. Self-contained toilet kit including: A. Window; B. Monomatic, airline-type toilet; C. 12-volt storage battery and box; D. Rear bumper for hose storage; E. Tissue holder. 5. 12-volt strip light. 6. Surg brakes. 7. Color option group. **COLORS:** Exterior—white and choice of metallic blue, silver, gold or green. Interior-Avocado, turquoise, or antique gold.


































MODEL 1750/1750SC



These two large, roomy full 8-foot wide trailers are amazingly low priced for the mountain of value Aloha has packed into them. And you can pack a mountain of equipment into the giant wardrobe, drawer, cabinet and trunk storage compartments in the 1750 and 1750SC. Sleeping accommodations in both models include three full-size double beds with polyfoam mattresses. Model 1750SC has fully self-contained Monomatic airline-type toilet plus other luxury features as standard equipment.

COLOR OPTIONS: Available at no additional charge. ICE BOX: 100pound capacity (Standard 1750). REFRIGERATOR: 4 cu. ft. gas-electric frost-free refrigerator with freezer compartment (Standard on 1750SC and optional on 1750). WATER STORAGE: 25-gallon fresh water pressure tank and outside filler spout. CABINETS: Eye-level cabinets are side-hinged. GALLEY WORK AREA: Ample work counters and drawer storage; double stainless steel sink with swing faucet. Formica counter; self-edged; wrap-around (tile board) backsplash; cutting board. BUILT-IN APPLIANCES: 4-burner, top lighting gas range with automatic oven and broiler. Vented canopy. HIDE-A-STEP: Swings out for easy entering. Folds under trailer for traveling. WINDOW AWNING ROCK GUARD: Protects from rocks when traveling, provides shade when parked. ROCK SHIELD: Fiberglass protects lower front from gravel. ASSIST BAR: Sturdy chrome handle assists while entering. INSULATED HEAVY DUTY EXTERIOR DOOR: Large ventilating window with screen and Rubber weatherstripping. SPACIOUS WINDOWS: Ventilating windows with screens. No cracks or openings for flies or bugs to enter. BEDS: Three double beds with polyfoam mattresses. TRIPLE LIGHTING SYS-TEM: 110-volt, 12-volt and gas lighting system. Ample convenience outlets. ELECTRIC BRAKES: Electric brakes with controller to synchronize trailer braking with car brakes. Trailer brakes operate independently. TIRES: 775x15 6-ply rating. Nylon tubeless tires. HITCH: Hadco double strength hitch with 2-inch ball. Crank type jack, large caster for fast car hookup. Two exterior leveling jacks are standard equipment. EX-TERIOR AND UNDERBODY: Rigid all metal rustproof colortone siding. Entire underbody specially metal enclosed to withstand rough gravel or wet road conditions. All body joints caulked, sealed and flashed for maximum water and dustproofing. PLUMBING: Conveniently located single water intake and drain system. All fixtures trapped and vented in compliance with plumbing codes. NO DRAFT ROOF VENTILATOR: Assures ample fresh air and ventilation, yet prevents rain, dust and drafts from entering. WALL HEATER: Built-in thermostatically controlled 9,000 BTU capacity wall heater with 100% safety pilot which shuts off all gas if pilot goes out. Standard on 1750SC, optional on 1750. **DIMENSIONS:** Overall length, 18'-3". Width, 8'. Height inside, 75". **WEIGHT:** 1750 weighs 2550 lbs.; 1750SC weighs 2800 lbs. Tow bar weights, 400 lbs. (1750) and 475 lbs. (1750SC). INTERIOR APPLI-ANCES: Color coordinated oven and range, refrigerator or ice box, range canopy, cushions and drapes. Choice of avocado, turquoise or antique gold. **EXTERIOR METAL TRIM:** Choice of Metallic gold, silver, blue or green. OPTIONS: (Model 1750) 1. Built-in combination gaselectric refrigerator. 2. Automatic LP gas, exterior vented wall heater. 3. Twin 5 or 7½ gal. LP tanks. 4. Self-contained toilet kit including A. Window, B. Monomatic, airline-type toilet, C. 12-volt storage battery and box, D. Rear bumper for hose storage, E. Tissue holder. 5. 12-volt strip light. 6. 12-volt compressor. 7. Surg brakes. 8. Color option group. OPTIONS: (Model 1750SC) 1. 71/2 gal. twin LP tanks. 2. 12-volt strip light. 3. 12-volt compressor. 4. Surg brakes. 5. Color option group. STANDARD ON 1750SC: Combination gas-electric refrigerator. Twin 5-gal. LP gas tanks. Monomatic airline-type toilet. Hose carrying bumper. Automatic LP gas, exterior vented wall heater.


MODEL 1900SC



The Model 1900SC is the perfect multi-purpose travel trailer! Fully self-contained, the 1900SC is large enough for complete comfort during an extended winter or summer vacation or a "back to the bush" hunting or fishing trip. The Model 1900SC has a Monomatic airline-type toilet, shower, hot water tank, and gas heater plus a complete galley and sleeping accommodations for six people. Yet the Model 1900SC, with its balanced weight distribution tows easy enough to be used for weekend trips.

COLOR OPTIONS: Available at no additional charge. REFRIGERATOR: Combination gas-electric frost-free 5.2 cu. ft. refrigerator with freezer compartment. WATER HEATER: 6-gallon gas water heater. BATH-ROOM: Monomatic airline-type toilet. Fiberglass waste holding tank, 25 gallon capacity. Shower stall has hand-operated flexline shower head with handy on-off button. Lavatory, medicine cabinet, towel holder, soap dish, light and convenience outlet. Windows provide ventilation and elimination of shower steam. Holding tank drainage hose stores in rear bumper when traveling. PRESSURE WATER SYS-TEM: Fully automatic 12-volt water pressure system with 12-volt compressor, 12-volt storage battery and 25 gallon fresh water pressure tank. CABINETS: Eye-level cabinets are side-hinged. GALLEY WORK AREA: Ample work counters and drawer storage, double stainless steel sink with hot and cold mixer faucet. Formica counter, wraparound (tile board) backsplash and cutting board. BUILT-IN APPLIANCES: 4-burner top-lighting range with automatic oven and broiler. Vented canopy with 110-volt fan and light. HIDE-A-STEP: Swings out for easy entering. Folds under trailer for traveling. WINDOW AWNING ROCK GUARD: Protects from rocks when traveling. Provides shade when parked. ROCK SHIELD: Fiberglass protective lower front panel. ASSIST BAR: Sturdy chrome handle assists while entering. HEAVY-DUTY INSULATED EX-TERIOR DOOR: Large ventilating window with screen and weather-stripping. SPACIOUS WINDOWS: Ventilating windows with screens. No cracks for flies or insects to enter. LIGHTING SYSTEM: 110-volt. 12-volt and gas lighting system. Ample convenience outlets. BRAKES: Electric brakes with controller to synchronize trailer brakes with car brakes. Trailer brakes operate independently. BEDS: Three double beds wtih polyfoam mattresses. TIRES: 7.00x15 6-ply Nylon tube tires on heavy duty lock ring wheels. HITCH: Hadco double strength hitch with 2-inch ball. Crank type jack, large caster for fast car hookup. Two exterior leveling jacks are standard equipment. EXTERIOR AND UNDERBODY: Rigid all metal rustproof colortone siding. Entire underbody specially metal enclosed to withstand rough gravel or wet road conditions. All body joints caulked, sealed and flashed for maximum weather and dustproofing. PLUMBING: Conveniently located single water intake and drain system with bypass valve. All fixtures trapped and vented in compliance with plumbing codes. NO-DRAFT ROOF VENTILATOR: Assures ample fresh air and ventilation, yet prevents rain, dust and drafts from entering. WALL HEATER: Built-in thermostatically controlled 9,000 BTU capacity wall heater. 100% safety pilot shuts off all gas if pilot goes out. DIMENSIONS: Overall length, 19'-7". Width, 8'. Inside height, 75". WEIGHT: Trailer, 3550 lbs. Tow bar weight 525 lbs. OPTIONS: Twin 71/2 gal. LP gas tanks; 12-volt strip light; Color Option group: INTERIOR APPLIANCES: Color coordinated oven and range, refrigerator, range canopy, cushions, and drapes. Choice of Avocado, Turquoise, Antique Gold. EXTERIOR METAL TRIM: Choice of Metallic Gold, Silver, Blue or Green.















The families you see in these pages, who field-tested the 1969 Aloha travel trailers under all types of conditions, have unanimously told us that they found much that is new and exciting in the 1969 models. We were pleased to hear this, because we have tried to make our 1969 Aloha trailers the finest in both appearance and construction of any Aloha travel trailers ever built. At Aloha, the design of a new series is a time for improvement—not merely a time for change! Each year as the Aloha engineers, designers and production people work together on our new models, they keep three all-important factors in mind... Western geography... Western weather... and Western families.

Aloha trailers, unlike many other popular travel trailers, are built and sold only in the West. Today in the Northwestern states, there are more Aloha travel trailers being used than any other brand.



At Aloha we build travel trailers with Western families in mind. Active, energetic, dynamic families! Families questing after the excitement of family recreational activities such as rock hounding, beachcombing, drag racing, trail bike outings or any of the dozens of other interests that Western families have. Because of this, every feature on an Aloha travel trailer is there because it makes an Aloha a better trailer for the West and for a Western family.

We invite you to examine carefully each of the 1969 Aloha models to determine which fulfills your family's sleeping, eating and storage needs best. You will find a great degree of flexibility in the 1969 Aloha travel trailers. For sincere, professional guidance in selecting the Aloha model which best fits your needs, we urge you to visit your local Aloha trailer dealer. He is an experienced and knowledgeable travel trailer authority and will be happy to give you additional details on Aloha travel trailers.

Sincerely yours,

Glen Gordon Vice President

ALOHA TRAILER COMPANY

















MODEL 2100SC



Combination gas-electric 5.2 cu. ft. frost-free refrigerator with freezer compartment. WATER HEATER: 6-gallon gas water heater. BATH-ROOM Extra large bathroom area. Monomatic airline-type toilet. Fiberglass waste holding tank, 25-gallon capacity. Shower stall has handoperated flexline shower head with handy on-off button. Lavatory, medicine cabinet, towel holder, soap dish, light and convenience Two windows provide ventilation and elimination of shower outlet. steam. Drainage hose stores in rear bumper when traveling. PRESSURE WATER SYSTEM: Fully automatic 12-volt water pressure system with 12-volt compressor, 12-volt storage battery and 25 gallon fresh water pressure tank. CABINETS: Eye-level cabinets are side-hinged. GAL-LEY WORK AREA: Ample work counter and drawer storage; double stainless steel sink with hot and cold swing faucet; formica counter, wrap-around (tile board) backsplash; and cutting board. BUILT-IN APPLIANCES: 4-burner top-lighting automatic range with oven and broiler. Exterior vented canopy with exhaust fan and light. HIDE-A-STEP: Swings out for easy entering. Folds under trailer for traveling. WINDOW AWNING ROCK GUARD. Protects from rocks when traveling. Provides shade when parked. ROCK SHIELD: Fiberglass protective lower front panel. ASSIST BAR: Sturdy chrome handle assists while entering. HEAVY-DUTY INSULATED EXTERIOR DOOR: Ventilating window with screen and weatherstripping. SPACIOUS WINDOWS: Ventilating windows with screens. No cracks for flies or insects to enter. LIGHTING SYSTEM: 110-volt, 12-volt and gas lighting system. BEDS: Three double beds with polyfoam mattresses. TIRES: 775x15 4-ply Ny-Ion tubeless tires on tandem axles. BRAKES: 4-wheel electric brakes and controller to synchronize trailer braking with car brakes. Trailer brakes operate independently. HITCH: Hadco double strength hitch with 2-inch ball. Crank-type jack, large caster, for fast car hookup. Two exterior leveling jacks are standard equipment. EXTERIOR AND UNDER-BODY: Rigid all metal rustproof colortone siding. Entire underbody specially metal enclosed to withstand rough gravel or wet road conditions. All body joints caulked, sealed and flashed for maximum weather and dustproofing. PLUMBING: Conveniently located single water intake and drain system with by-pass valve. All fixtures trapped and vented in compliance with plumbing codes. NO-DRAFT ROOF VENT-**ILATOR:** Assures ample fresh air and ventilation, yet prevents rain, dust and drafts from entering. **WALL HEATER:** Built-in thermostatically controlled 9,000 BTU capacity wall heater, 100% safety pilot shuts off all gas if pilot goes out. DIMENSIONS: Overall length, 22'-3". Width, 8'. Height inside, 75". WEIGHT: Trailer, 3875 lbs. Tow bar weight, 350 Ibs. COLOR OPTION GROUP: INTERIOR APPLIANCES: Color coordinated oven and range, refrigerator, range canopy, cushions and drapes. Choice of Avocado, Turquoise, Antique Gold. EXTERIOR METAL TRIM: Choice of Metallic Gold, Silver, Blue or Green. OPTIONS: 1. Twin 71/2 gallon LP gas tanks, 2. 12-volt strip light, 3. Twin gaucho beds, 4. Color option group.

MODEL 2450SC



REFRIGERATOR: 6-cubic foot frost-free combination gas-electric re-


frigerator with freezer compartment. WATER HEATER: 10 gallon gas water heater. BATHROOM: Monomatic, airline-type toilet. Fiberglass 25-gallon waste holding sink. Shower stall has hand-operated flexline shower head with handy on-off button. Lavatory, medicine cabinet, towel holder, soap dish, light and convenience outlet. Two windows provide ventilation and elimination of shower steam. Drainage hose stores in rear bumper when traveling. PRESSURE WATER SYSTEM: Fully automatic 12-volt water pressure system. 12-volt compressor, 12-volt storage battery and 25 gallon fresh water pressure tank. CABINETS: Eye level cabinets are side-hinged. GALLEY WORK AREA: Ample work counters and drawer storage; double stainless steel sink with cold and hot swing faucet. Formica counter, wrap-around (tile board) backsplash and cutting board. BUILT-IN APPLIANCES: 4-burner automatic top-lighting range with thermostatically-controlled automatic oven (with glass door) and broiler; vented canopy with exhaust fan and light. HIDE-A-STEP: Swings out for easy entering. Folds under trailer for traveling. WINDOW AWNING ROCK GUARD: Protects from rocks when traveling. Provides shade when parked. ROCK SHIELD: Fiberglass protective lower front panel. ASSIST BAR: Sturdy chrome handle assists while entering. HEAVY-DUTY INSULATED EXTERIOR DOOR: Ventilating window with screen and weatherstripping. LIGHT-ING SYSTEM: 110-volt and 12-volt fluorescent strip lighting system. Ample convenience outlets. BEDS: Three optional bed arrangements 1. Double beds; 2. Twin beds; 3. Gaucho bed; plus optional overhead bunk. BRAKES: Four wheel electric brakes and controller to synchronize trailer braking with car brakes. Trailer brakes operate independently. TIRES: Four 7.00x15 6-ply Nylon tube tires on tandem axles with lock ring wheels. HITCH: Hadco double strength hitch with 2-inch ball. Crank-type jack, large caster, for fast car hookup. Four exterior leveling jacks are standard equipment. EXTERIOR AND UNDERBODY: Rigid all metal rustproof colortone siding. Entire underbody specially metal enclosed to withstand rough gravel or wet road conditions. All body joints caulked, sealed and flashed for maximum weather and dustproofing. TWO NO-DRAFT VENTILATORS: Assure ample fresh air and ventilation, yet prevent rain, dust and drafts from entering. WALL HEATER: Built-in thermostatically controlled 14,000 BTU capacity wall heater with blower fan. 100% safety pilot shuts off gas if pilot goes out. DIMENSIONS: Overall length, 25'-6". Width, 8'. Height inside, 78". WEIGHT: Trailer, 4895 lbs. Tow bar weight, 435 lbs. COLOR OPTION GROUP: INTERIOR APPLIANCES: Color coordinated oven and range, refrigerator, range canopy, cushions and drapes. Choice of Avocado, Turquoise, Antique Gold. EXTERIOR METAL TRIM: Choice of Metallic Gold, Silver, Blue or Green. OPTIONS: 1. Bed arrangement, 2. Overhead bunk, 3. Color option group.



























ALOHA TRAILER COMPANY

P.O. Box 647 • Beaverton, Oregon 97005

The Northwest's Largest Manufacturer of Quality Travel Trailers

MEMBER



Product specifications for all models described or illustrated in this catalog are subject to change without notice. Aloha Trailer Company reserves this right in order to constantly improve the products it offers to its dealers and customers. Weights and capacities quoted are approximate figures. For maximum convenience and safety, Aloha recommends use of load leveler-type hitches for towing all models.

ALOHA TRAILER COMPANY

1969 PRICE LIST - Effective November 1, 1968

SUGGESTED PORTLAND RETAIL

Model 1500 Deluxe	\$	1395.00
Model 1650		1745.00
Model 1750		1995.00
Model 1750 SC		2595.00
	. – –	-
Model 1900 SC		3375.00
<u>, </u>		
Model 2100 SC		3750.00
Model 2100 SC Twin Gaucho		3825.00
Model 2450 SC		4795.00

PRICES SHOWN F.O.B. BEAVERTON, OREGON
ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE